

Ohio Environmental Protection Agency
Deviation Reporting Form

Signature

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Date of or most recent modification date: 07/27/01			
Reporting Period		SEMIANNUAL Reporting Period (please indicate <input type="checkbox"/> N/A <input type="checkbox"/> below in the <input type="checkbox"/> From <input type="checkbox"/> and <input type="checkbox"/> fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Number of pages in report, including this one: 60 pages			
List any supporting attachments			
Reporting deadline: 07/31/2013			

NOTE: The deviation reporting period shall be stated in the following format: ☐xx/☐xx/☐xx through ☐zz/☐zz/☐zz where ☐xx/☐xx/☐xx and ☐zz/☐zz/☐zz are the beginning and end dates for the deviation reporting period respectively.

SIGNATURE FOR STATEMENT

This statement shall be signed by the responsible official as defined in OAC rule 3745-77-01(GG). Making of any false material statement, representation or certification constitutes a violation of ORC 3704.05(H), and subjects the responsible party signing this statement to civil and/or criminal penalties as provided in ORC 3704.06(C) and ORC 3704.

CERTIFICATION

Based on information and belief formed after reasonable inquiry, I hereby affirm, as stated in OAC rule 3745-77-03(D), that the statements and information as transmitted in this Title V report are true, accurate and complete to the best of my knowledge.

TitleVSemiAnnualReport_1st_2013.doc

Authorized Signature _____ Date _____

Name (Please Print) _____ Title _____

Ohio Environmental Protection Agency

Section I- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the "From" and "To" fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

Ohio Environmental Protection Agency
Deviation Reporting

FACILITY NAME			
FACILITY ID (PREMISE NUMBER)			
FACILITY ADDRESS			
Issuance or most recent modification date			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate AN/AQ below in the AFR if this report does include semiannual deviation reporting)	
From:	To:	From:	To:
Reporting deadline			

SECTION I -

704.05(H), PART I General Terms and Conditions (Permit Requirement Reporting) (Table1)

Mark the following box with an >X= if no General Terms and Conditions deviations occurred

THERE WERE NO DEVIATIONS OF ANY OF THE TERMS AND CONDITIONS OF PART I OF THE TITLE V PERMIT DURING THE REPORTING PERIOD

Add rows as necessary to the following table for reported deviations (one for each General Term as applicable; see detailed instructions for more information) **(Table2)**

PERMIT RM escription	Reporting Requirement (choose one)		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTION PREVENTATIVE MEASURE
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION		
				DATE / TIME START	DATE / TIME END			

Ohio Environmental Protection Agency
Deviation Reporting

FACILITY NAME			
FACILITY ID (PREMISE NUMBER)			
FACILITY ADDRESS			
Issuance or most recent modification date			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate AN/A@ below in the AFr this report does include semiannual deviation reporting)	
From:	To:	From:	To:
Reporting deadline			

PERMIT RM escription	Reporting Requirement (choose one)		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTION PREVENTATIVE MEASURE
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION		
				DATE / TIME START	DATE / TIME END			

Ohio Environmental Protection Agency

Section II- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate AN/A@ below in the AFr fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

Section II - Part II Facility-wide Permit Requirement Reporting**Insignificant Emissions Unit Negative Declarations (Table1)**

List each insignificant emissions unit where no deviations of any PTI terms or applicable requirements for the listed emissions unit occurred, or add rows as necessary to the deviation reporting table (see next page) for reported deviations (one for each term as applicable; see detailed instructions for more information)

WERE NO DEVIATIONS OF ANY PTI TERMS OR APPLICABLE REQUIREMENTS FOR THE FOLLOWING LISTED INSIGNIFICANT EMISSIONS UNITS IDENTIFIED IN PART II.A
E V PERMIT:

color tray dying (E-5)

trays dryers, littleford mixer (E-31)

HC-11 tanks (E-53)

TCP blend & slugger (E-61)

ceramic color dryer #9 (E-83)

waste shredder (E-80)

Ohio Environmental Protection Agency

Section II- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate NA below in the From fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

WERE NO DEVIATIONS OF ANY PTI TERMS OR APPLICABLE REQUIREMENTS FOR THE FOLLOWING LISTED INSIGNIFICANT EMISSIONS UNITS IDENTIFIED IN PART II.A
E V PERMIT:

general catalyst dryers #4, #5 (E-86)

nitric acid dilution (E-87)

ZR sinter furnace (E-89)

ammonia stripper in WWTP (E-93)

12 inch rotary calciner (E-95)

fast fire kiln (E-90)

reduction towers (E-98)

elevator kilns (E-96)

#6 rotary calciner (E-97)

Ohio Environmental Protection Agency

Section II- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate AN/A@ below in the AFr fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

WERE NO DEVIATIONS OF ANY PTI TERMS OR APPLICABLE REQUIREMENTS FOR THE FOLLOWING LISTED INSIGNIFICANT EMISSIONS UNITS IDENTIFIED IN PART II.A
E V PERMIT:

Black furnaces (E-99)

Horne tableting machines (E-102)

sulfuric acid storage tank

Kewanee boiler, rated at 8.6 MMBtu/hr

Kewanee boiler, rated at 8.6 MMBtu/hr

Kewanee boiler, rated at 8.6 MMBtu/hr

Kewanee boiler, rated at 8.6 MMBtu/hr

Ohio Environmental Protection Agency

Section II- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate AN/A below in the AFr fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/12	To: 12/31/13
Reporting deadline: 07/31/2013			

Facility-wide Permit Requirements Terms and Conditions (Permit Requirement Reporting) - Negative Declarations (mark with an >X= if applicable) **(Table 2)**

THERE WERE NO DEVIATIONS OF ANY OF THE TERMS AND CONDITIONS OF PART II OF THE TITLE V PERMIT DURING THE REPORTING PERIOD SPECIFIED IN THIS REPORT

Section II - Part II Facility-wide and/or IEU permit requirement (Permit Requirement Reporting) - Deviation Reporting (Table 3)*Add rows as necessary to the following table for reported deviations (one for each Term as applicable; see detailed instructions for more information)*

Reporting Requirement (choose one) or both	Reporting Requirement (choose one) or both	Reporting Requirement (choose one) or both	ACTUAL METHOD USED TO DETERMINE COMPLIANCE		DEVIATION INFORMATION		PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS in the space below)	MALFUNCTION WRITTEN REPORT DATE (If no reports state ANO R in the space below)
Quarterly	Semi- Annual				DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION				
					DATE / TIME START	DATE / TIME END					

Ohio Environmental Protection Agency

Section II- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate AN/A@ below in the AFr fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/12	To: 12/31/13
Reporting deadline: 07/31/2013			

Description of Deviation	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION		PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION WRITTEN REPORT DATE (If no reports state NO REPORTS in the space below)	
	Quarterly	Semi- Annual		DEVIATION DURATION							DESCRIPTION AND MAGNITUDE OF THE DEVIATION
				DATE / TIME START	DATE / TIME END						

Ohio Environmental Protection Agency

Section III- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate A/N/A below in the A/From fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

Section III - Part III Emissions Unit Terms and Conditions (Permit Requirement Reporting) - Negative Declarations (Table 1)

List each emissions unit where no deviations of any terms for the listed emissions unit occurred, or add rows as necessary to the second table (see next page) for reported deviations (one for each term as applicable; see detailed instructions for more information)

WERE NO DEVIATIONS OF ANY OF THE TERMS AND CONDITIONS OF PART III OF THE TITLE V PERMIT FOR THE FOLLOWING LISTED EMISSIONS UNITS:

Emissions Unit ID	Please place an >X= below if there were no Quarterly Deviations - If an >X= is not indicated, the deviation(s) must be identified in Table2 below	If applicable, please place an >X= below if there were no Semiannual Deviations - If an >X= is not indicated, the deviation(s) must be identified in Table2 below
2 BOILER (E-91))		X
ER COLOR BLENDING (E-6))		X
ER COLOR MILLING (E-7))		X
U/BI CALCINERS (E-26))		X

Ohio Environmental Protection Agency

Section III- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate NA below in the From fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

EN CAT MIXERS (E-29))		X
ER COLOR BLEND AND MILL (E-34))		X
ICKEL TABLET SYSTEM (E-57))		X
RON ROOM TABLET)		X
ER COLOR PULVERIZER (E-62))		X
OLOR JETMILL (E-94))		X
VOLV DRY AND VERT CALC (E-75))		X
&S DRIER IN HC-11)		X
HUTTLE KILN #1 (E-88))		X

Ohio Environmental Protection Agency

Section III- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate NA below in the From fields if this report does include semiannual deviation reporting)	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

2 SHUTTLE KILN (E-92))		X
OPPER CALCINER #2)		X
LDG 24 WEST TABLETTING)		X
LDG 25 EAST TABLETTING)		X
TUNNEL KILN #3)		X
IRON CATALYST MIXING (E-104))		X
GRAVITY BED SEPERATOR)		X
ATIONAL DRYER)		X

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

Section III - Part III Emissions Unit Terms and Conditions (Permit Requirement Reporting) - Deviation Reporting (Table2)

Add rows as necessary to the following table for reported deviations (one for each Term as applicable; see detailed instructions for more information) - Please group deviations for each emissions unit that has deviations of multiple terms.

NS J) tion w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION		PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	
		Quarterly	Semi- Annual		DEVIATION DURATION							DESCRIPTION AND MAGNITUDE OF THE DEVIATION
					DATE/TIME START	DATE/TIME END						

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS (J) ation (w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
/t	General Terms and Conditions B. I		X	Records Review	07/01/13	12/31/13	Operated 7 Sources without a PTI	Facility personnel change over and inadequate Title V training	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS J) tion w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
	A.III.1.a-Collect and record the pressure drop across the scrubber, in inches of water, once each day.		X	Records of pressure drop readings	09/13/13	09/13/13	A total of 1 daily ΔP records are missing.	Facility personnel change over and inadequate Title V training processes.	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
A.III.1.b- Collect and record the scrubber water flow rate, in gallons per minute, once each day.		X	Records of scrubber water flow rate	09/13/13	09/13/13	A total of 1 daily scrubber water flow rate records are missing.	Facility personnel change over and inadequate Title V training processes.	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS J) tion w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
S at ers 3)	A.III.1- Perform daily Viron scrubber water flow checks checks, when the emissions unit is in operation		X	Daily record of Viron scrubbers 2 and 3 water flow	08/19/13	08/25/13	A total of 14 VE checks were not performed during the reporting period.	Loss of records	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS (U) ation (w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
der	B.III.1.b- Collect and record the scrubber water flow rate, in gallons per minute, once each day.		X	Records of scrubber water flow rate	01/10/13	01/10/13	A total of 1 daily scrubber water flow rate records are missing.	Facility personnel change over and inadequate Title V training processes.	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS J) tion (w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
der	B.III.2-Record the pressure drop across the baghouse on a daily basis.		X	Records of daily pressure drop readings for the baghouse	08/19/13	08/21/13	A total of 3 daily ΔP records are missing.	Loss of records	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS (U) ation (w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
nder	B.III.2-Record the pressure drop across the baghouse on a daily basis.		X	Records of daily pressure drop readings for the baghouse	08/24/13	08/25/13	A total of 2 daily ΔP records are missing.	Loss of records	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS (U) ation (w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
der	B.III.2-Record the pressure drop across the scrubber on a daily basis.		X	Records of daily pressure drop readings for the scrubber	08/19/13	08/21/13	A total of 3 daily ΔP records are missing.	Loss of records	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS (U) ation (w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
nder	B.III.2-Record the pressure drop across the scrubber on a daily basis.		X	Records of daily pressure drop readings for the scrubber	08/24/13	08/25/13	A total of 2 daily ΔP records are missing.	Loss of records	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS J) tion (w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
der	B.III.2-Water flow to scrubber		X	Records of daily scrubber water flow readings	08/19/13	08/21/13	A total of 3 daily ΔP records are missing.	Loss of records	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

NS (U) ation (w)	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state ANO REPORTS@ in the space below)
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
der	B.III.2-Water flow to scrubber		X	Records of daily scrubber water flow readings	08/19/13	08/21/13	A total of 3 daily ΔP records are missing.	Loss of records	A Title V compliance plan and training program are currently being implemented across all process operations.	No	No	

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period	
From: NA	To: NA	From: 07/01/13	To: 12/31/13
Reporting deadline: 07/31/2013			

See page 3 of the instructions A **SECTION III ADDITIONAL DETAILED INSTRUCTIONS FOR COMPLETING A DEVIATION REPORTING TABLE** for guidance on this table.